



પાણી બદલો ...
જીવન બદલો ...



IONPOT ALKALINE WATER



Water is Life...




જળ
એજ છુવન


Healthy Water,
Healthy Life...

WATER IN OUR BODY IS LIFE


RATIO OF WATER IN OUR BODY & BODY PARTS




BODY 72%




BRAIN 75%




BLOOD 83%




KIDNEY 79%




EYE 95%



LIVER 86%



LUNG 80%




HEART 73%



BONE 22%

વિશ્વમાં સ્વસ્થ / ચમકારીક / વીલિંગ વોટર્સ



Ganges, India



Tlacote, Mexico



Nordenau, Germany

વિશ્વભરના પ્રાકૃતિક પાણીના સ્ત્રોત પર સંશોધનથી બદાર આવ્યું છે
 કે ૧૦૦૦ વર્ષોથી “ચમકારી પાણી” આ એ સ્થળે કુદરતી રીતે મળી રહે છે.



Zam Zam, Mecca

આ ચમકારી પાણીના ગુણાધ્યમો...

- એકટીવ હાઇડ્રોજન
 (ઓન્ટી ઓક્સિડન્ટ)
- આલ્કલીનાઇગ્રેશન ઓક્સિજન
 (માર્કો કલસ્ટ)



Lourdes, France

આયનપોર્ટ - આલ્કલાઇન પોર્ટ...



ચમકકરીક પાણી

1. Micro-Clustering માઇક્રો ક્લાસ્ટરિંગ
2. Anti-Oxidation એન્ટી ઓક્સિડેશન
3. Alkalization આલ્કલીનાઇઝેશન
4. Adds Minerals જરૂરી મિનરલ્સ કેલ્લિયમ,
મેનેશિયમ, સોડિયમ, પોટેશિયમ ઉમેરાય છે

તમારા અને તમારા પરિવાર માટે શ્રેષ્ઠ પાણી...


- એસિડિક પાણીને આલ્કલાઇન બનાવે છે
- શરીર માટે જરૂરી મિનરલ્સ ઉમેરે છે
- Hydrogen નું પ્રમાણ વધારે છે
- ORP ઓછુ કરે છે
- Anti Oxidation ની અસર વધારે છે
- પાણીનો સ્વાદ સુધારે છે



1. Micro-Clustering

માયકો ક્લાસ્ટરિંગ

Bad



Regular Water Cluster
(15-20 Molecules)

રેગ્ઝિના પાણીનું બંધારણ
(૧૫ થી ૨૦ અણુઓ)
વધારે પ્રમાણમાં અણુઓ હોવાથી શરીરમાં
શોખવામાં અવરોધ રહે છે.



Good




Alkaline Water Cluster
(4-6 Molecules)

આલ્કલાઇન પાણીનું બંધારણ
(૪ થી ૬ અણુઓ)
સુધ્યમ આણુ બંધારણ હોવાથી શરીરમાં
સારી રીતે શોખવામાં સરળતા રહે છે.

2. ANTI - OXIDATION



Oxidation = The "Rusting" Process




Oxidation + Living Tissue = Sickness & Aging




ORP

ઓક્સિડેશન રીડક્ષન પોટેંશિયલ



આત્માંત અન્ટી-ઓક્સિડેશન આંકડાએન વેરર (-૪૦૦ મિલી વેરર ચાર્જ) લાખો હાઇડ્રોક્સિલ (OH-) આયન્સ ઘરાવે છે. જે લાંબા સમયની હાનિકરક નિમારીઓના મુળને શરીરમાંથી નિન-અસરકરક બનાવે છે.

3. Alkalization આલ્કલીનાઇઝશન




આલ્કલાઇન વોટર શરીરના pH ને સંતુલન કરવામાં અને શરીરને
હોમીયોસ્ટેસીસ પરત કરી રોગ પ્રતિકારક શક્તિ વધારવામાં મદ્દ કરે છે.



ડૉ. ઓફ્રો હેનરીય વરબર્ગ

જેમણે કેન્સરના વાસ્તવિક કારણને શોધી કાઢ્યું
૧૯૨૩માં શોધ કરી અને ૧૯૩૧માં તેમને **ફિન્ઝિયોલોજી** માટે
નોબેલ પુરસ્કાર પ્રાપ્ત થયો.

કેન્સર ટિસ્યુન આર એસીડિક,
હેલ્થી ટિસ્યુન આર આલ્કલાઇન.



ડૉ. પીટર એગ્રે

નોબેલ પ્રાઇઝ (રસાયણ વિદ્યાન) ૨૦૦૩

દરેક કોષિકામાં પ્રાથમિક તન્બકે પાણી હોય છે, પરંતુ પાણી
કોષિકામાં જમાં રહેતાં સુધ્યમ માળખાકીય રીતે વહન કરે છે.
એકવાપોરિન્સ ઘરાવતી પેશીઓમાં આ પ્રક્રિયા ખુબ ઝડપી હોય છે.
જેથી માઇકોકલસ્ટ્સ પાણી તે કોષિકામાં સરળતાથી શોખાય છે.
અને હાનિકારક અશુદ્ધિઓને બહાર કાઢવા સક્ષમ છે.

આયન પોર આલ્કલાઇન પારી પીવાથી રોગ નિવારણમાં ફાયદા

જપાન, કોરીયા અને યુ.એસ.એ. માં પણ કલીનીકલ રીસર્ચ કરવામાં આપેલ છે.

આલ્કલીનાઇજેશન, હાઇડ્રેટ્સ, ઓનજીસ, ઓન્ટી-ઓક્સિડેશન, ડિટોક્સિફિકેશન

અલજી	હાઇ લાઇસ પ્રેસર	વજન ઘટાડવામાં	ડિહાઇડેશન
ડાયાબીટીસ	હાઇ કોલેસ્ટ્રોલ	માંથાનો દુખાવો	શરદી
સાંધાનો દુખાવો	કબજુયાદ	ઝેર નિષ્કયકરણ	શાયરોઇટ
હાઇકાની નભળાય	થાક લાગાવો	B-12 ની સમસ્યા	કેન્સર

Comparisons between ORG IONPOT & IONIZER

સ્વદેશી પ્રોડક્સ

- ✓ આંકડાયન પાણી બનાવે છે.
- ✓ પાણીમાં એન્ટી ઓક્સિડન્ટની અસર વધારે છે.
- ✓ હાઇડ્રોજન યુક્ત પાણી
- ✓ આવશ્યક તત્વો ઉપરાંત નથી
- ✓ પાણીનો બગાડ થતો નથી
- ✓ ખૂબ જ ઓછો ઇલેક્ટ્રોલિક પાવરનો વપરાશ
- ✓ વ્યાજની કિંમત



વિદેશી પ્રોડક્સ

- ✓ આંકડાયન પાણી બનાવે છે.
- ✓ પાણીમાં એન્ટી ઓક્સિડન્ટની અસર વધારે છે.
- ✓ હાઇડ્રોજન યુક્ત પાણી.
- X આવશ્યક તત્વો ઉપરાંત નથી.
- X ૫૦% પાણીનો બગાડ થાય છે.
- X ઇલેક્ટ્રોલિક પાવરનો વધુ વપરાશ.
- X અત્યંત મોંઘી કિંમત



આલ્કલાઇન પાણી બનાવવાની રીત...

- નેચરલ સિરામીક બોલ

પાણીને આલ્કલાઇન કરવા માટે નેચરલ સિરામીક બોલ દ્વારા આયોનાઇજરડ કરવામાં આવે છે. જેમાં પાણીને સીરામીક બોલ માંથી પસાર કરીએ ત્યારે તેમાં કુદરતી આયોનાઇજરડ પ્રોસેસ થાય છે. જે બધા જ પાણીને આલ્કલાઇન બનાવે છે જેથી આ રીત માં પાણીનો બીલકુલ બગાડ થતો નથી અને કુદરતે આપેલી અમૂલ્ય ભેટ (પાણી) નો બચાવ કરે છે.



- ઇલેક્ટ્રોલેસીસ પ્રોસેસ

આ રીતમાં પાણીને કોઈ પણ પ્રકારની ધારુની ફ્લેટમાં બીજ પ્રવાહ પસાર કરીને ઇલેક્ટ્રોલેસીસ પ્રોસેસ કરવામાં આવે છે. જેમાં પાણીને પોઝિટીવ અને નેગેટીવ આયન રૂપે બે ભાગમાં વહેંચે છે જેમાં અડધા ભાગનું પાણી એસીડ રૂપે વ્યય થાય છે.



આપણી તંદુરસ્તી માટે જણો વોટર ઇલેક્ટ્રો !

ionpot®

યાલો, આંકડાઈન આયોનાઇજ્ઝ્સ વોટર પણોંચાડીએ ઘરેઘરમાં...



- એસિડિક પાણીને આંકડાઈન બનાવે છે
- શરીર માટે જરૂરી મિનારત્વા ટિપ્પેણે છે
- Hydrogen જુદુ પ્રમાણ વધારે છે
- ORP અંદું કરે છે
- Anti Oxidation ની અસર વધારે છે
- પાણીનો સ્વાદ સુધારે છે

* Oxidation Reduction Potential (ORP)

Specification

Product Name	ORG Ionpot
Service Life	2500 – 3000 liters
Flow	2.5 lpm
Battery Power	3600 mah
Full Charged Battery	200 liters

SGS

Test Report

SAMPLE NOT DRAWN BY SGS INDIA PVT. LTD.

Report No : CE20-000340.001	Print Date : 10/02/2020
ULR No : TC500820100004526F	JOE No : CE20-000340
Report Control No : CER000308824	
Sample Described by Customer as : RO WATER	
Client Name : ORG ENGETECH LIMITED	
Client Address : Survey no-1009P, Old-602P, B/H Kashi Pack Care, Opp Techflow	
City : Kubadthal, Daskroi	
Postal Code : 382430	
State : Gujarat	
Country : INDIA	
Sample Type : RO WATER	
Received : 03/02/2020	
Sample Qty. : 4 X 1L	
Recd. Date : 31.01.2020	
NABL Group : Water	
NABL Sub Group : Others	
Test Start/End Date : 03/02/2020 - 10/02/2020	

Analysis	Method	Result	Unit
DISCIPLINE: CHEMICAL			
pH at 25°C	APHA 4500 B (Electrometric method)	6.52	-
Calcium as Ca	APHA 3500 B (EDTA Titrimetric method)	0.4	mg/L
Magnesium as Mg	APHA 3500 B (EDTA Titrimetric method)	0.3	mg/L
Lead as Pb	APHA 3125 B (By ICP-MS)	<0.005	mg/L
Cadmium as Cd	APHA 3125 B (By ICP-MS)	<0.001	mg/L
Total chromium as Cr	APHA 3125 B (By ICP-MS)	<0.005	mg/L
Mercury as Hg	APHA 3125 B (By ICP-MS)	<0.001	mg/L
Arsenic as As	APHA 3120 B (By ICP-OES)	<0.005	mg/L
Sodium as Na	APHA 3120 B (By ICP-OES)	19.0	mg/L
Potassium as K	APHA 3120 B (By ICP-OES)	<0.1	mg/L

Page 1 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request, and accessible at <http://www.gujarlaboratory.com>, and contains no warranty or guarantee of the products or services referred to. The Company's liability is limited to the sum of the fees paid by the client for the analysis or test, unless otherwise agreed in writing. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limit of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from their obligations under the relevant terms and conditions of sale or delivery of documents. Any unauthorised alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

For any feedback or complaint please write to us at feedback.gujrlab@gmail.com.

SGS India Pvt. Ltd. Multi Laboratory, 28 B1 (UP), 28 B2, and Main Road, Opposite to State Bank of India, Ambalal Jumabhoy Estate, Charni - 400 054, Tel: +91-22-40261800
 Regd & Comm. Off: 208 Block House, 4th A.O. Marg, Virar (Mumbai), Maharashtra-400083, Tel: (022) 25798421 to 26, www.sgs.com
 Member of the SGS Group (SGS SA)

प्राप्त असरी - 2
 Form RG - 2

भारत सरकार
गवर्नमेंट ऑफ इंडिया
लगाप विभाग गवर्नर
Trade Marks Registry
लगाप विभाग अधिनियम, 1999
Trade Marks Act, 1999

द्वायापर विन के रजिस्ट्रेशन का प्रमाणपत्र, धारा 23 (2), नियम 56 (1)
Certificate of Registration of Trade Mark, Section 23 (2), Rule 56 (1)

राज्य लगाप विभाग / Trade Mark No. 4060758 दिनांक / Date : 18/01/2019 अ. नंबर / J. No. 1889

यह प्राप्ति विभाग जाता है कि विभाग विन के रजिस्ट्रेशन इसके साथ संतुष्ट है, कि
 के द्वायापर विभाग विन के रजिस्ट्रेशन हो चुका है।

Certified that Trade Mark / a representation as annexed hereto, has been registered in the name(s) of:-
 HITAKSHI ANIL GAJERA, A-501, Krish Residency, B/H Uma Vidhyalay, Nikoi Naroda Road, Nikoi, Natural person, (Single Firm)

In Class 11 Under No. 4060758 as of the date 18 January 2019 in respect of:

WATER PURIFIERS; FILTERS FOR WATER PURIFIERS; WATER PURIFIERS FOR INDUSTRY; WATER PURIFIERS FOR HOUSEHOLD USE
 WATER PURIFIER RELATED PRODUCTS INCLUDED IN CLASS 11

IONPOT

मेरे लिए पर आज के मास के वे दिन को इस पर मुख्य लगाई गई।

Sealed at my direction, this 07th day of July, 2019





लगाप विभाग गवर्नर
 Trade Marks Registry MUMBAI
 Registrar of Trademarks

Note:
 1. The Result refer only to the tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 2. The result is valid for one year from the date of issue.
 3. The result is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.
 4. The result is not to be reproduced in any form or manner without our express permission in writing.
 5. Gujarat Laboratory maintains strict confidentiality of all the analysis and test results and customer supplied product and will not reveal this information to third party unless required by the statutory or legal requirement.
 6. Subject to Ahmedabad Jurisdiction.
 7. Test results are valid for three months from the date of issue.
 8. The result is valid for one year from the date of issue unless otherwise agreed in writing.
 9. The result is valid for one year from the date of issue unless otherwise agreed in writing.
 10. Attention is drawn to the limitation of liability, indemnification and jurisdictional issues etc defined therein.

Gujarat Laboratory Since 1986

TEST REPORT

Report No. GL/C/200214041 Date of Receipt 14/02/2020
 Sample Submitted By ORG Engitech Limited Reference No. NM
 Survey No : 1009P, Old662P, B/H. Kashi Pack Care
 Opp. Techflow Kubadthal, Daskroi Ahmedabad-382430

Gujarat Batch No. NM
 Sample Described as Water Mfg. Date NM
 Mode of Packing Sample Packed in Plastic Bottle Exp. Date NM
 Sample Condition Satisfactory Sample Qty.: 1.0 Ltr
 Marking R.O. Water, Dt.: 11.02.2020

Analysis Date 14/02/2020 Report Date 17/02/2020

Sl.	Test Name	Results	Method of Test
CHEMICAL WATER..			
1.	Calcium (as Ca) mg/l	3.18	IS : 3025 (P-40) : 1991
2.	Sodium (as Na) mg/l	16.36	IS:3025(P-45):1993
3.	Potassium (as K) mg/l	B.L.Q (Q.L.=0.5)	IS:3025(P-45):1993
4.	Copper (as Cu) mg/l	B.L.Q (Q.L.=0.005)	IS:3025(P-65):2014
5.	Magnesium (as Mg) mg/l	1.21	IS : 3025 (P-65) : 1994
6.	Cadmium (as Cd) mg/l	B.L.Q (Q.L.=0.002)	IS:3025(P-65):2014
7.	Lead (as Pb) mg/l	B.L.Q (Q.L.=0.005)	IS:3025(P-65):2014
8.	Mercury (as Hg) mg/l	B.L.Q (Q.L.=0.0005)	IS:3025(P-65):2014

N.M.= Not Mentioned,B.L.Q.= Below Limit of Quantification, Q.L.= Quantification Limit.

Date of Issue : 17/02/2020


 For GUJARAT LABORATORY
 Harshal Darji
 Auth. Signatory

End of Report

Note:
 1. The Result refer only to the tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 2. The result is valid for one year from the date of issue.
 3. The result is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.
 4. The result is not to be reproduced in any form or manner without our express permission in writing.
 5. Gujarat Laboratory maintains strict confidentiality of all the analysis and test results and customer supplied product and will not reveal this information to third party unless required by the statutory or legal requirement.
 6. Subject to Ahmedabad Jurisdiction.
 7. Test results are valid for three months from the date of issue.
 8. The result is valid for one year from the date of issue unless otherwise agreed in writing.
 9. The result is valid for one year from the date of issue unless otherwise agreed in writing.
 10. Attention is drawn to the limitation of liability, indemnification and jurisdictional issues etc defined therein.

Testing Facilities for:
 Food & Agriculture Products • Water & Wate Water • Pharmaceuticals • Microbiological • Environment • Fertilizer • Soil • Cosmetic • Cattle Feed, etc

આએ જાણીય કોણ કોણ સેલિબ્રિટી આંકડાઇન પાણી પીવે છે



Donald Trump




Oprah Winfrey



Tiger Woods



Jillian Michaels



Herschel Walker



Bill Gates




Beyoncé



Barack Obama



Arjun Rampal



Anderson Silva



Sri Sri Ravi Shankar



Toney Freeman



John Abraham



Demi Moore



Hrithik Roshan



Rajnikant



Shilpa Shetty





Anthony Robbins

Basic Philosophy of Human Body



THE BASIC NEEDS OF HUMAN BODY!

THE MAIN BASE OF HUMAN BODY!



*All parts of the human body
get tired eventually*



YUVA ENERGY RETAILS PVT LTD.

Mazanine floor, Amardeep appts, R .V. Desai road, Near Jairatna Bldg Char Rasta,
Opposite Bolai Mata Temple, Vadodara 390001 (GUJARAT)

• +91 875 875 6711

www.yuvaenergy.com